

NC Controlled Substance License #: NC-DHHS-1002881
 DEA Controlled Substance License #: RD0577986
 ISO 17025 Certification: PENDING
 Proficiency Testing Enrolled: Hemp PT Program U of Kentucky
 Regulatory Services

9

ANALYTICAL
Delta 9 Analytical
 Professional, Accurate, Responsive

Laboratory Location
 6308 Angus Drive, Ste B
 Raleigh NC 27617
 919-673-7153 / 919-450-1870
 frank@delta9analytical.com
 michael@delta9analytical.com

Client Name: Monster Vape Labs
 License#:
 Client Address: 1041 Crews Commerce Dr.
 Orlando, FL 32837

Sample ID: **1292**
 Received Date: 12012020
 Reported Date: 12012020
 Test(s) Ordered: **Cannabinoids**

Sample Desc: **Punch**
 Sample Type: Extract
 Sample Matrix: Gummy
 Sample Size: 3.039g



CANNABINOID SUMMARY

TOTAL CANNABINOIDS: 8.594 mg/g
Δ8-THC: 8.594 mg/g (26.12 mg)
TOTAL THC: <0.05%
Δ9-THC: <0.05%

CANNABINOIDS (Liquid Chromatography Mass Spectrometry - LCMS)

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.05	Cannabidiol (CBD)	ND	ND	0.05
Δ8-THC	0.8594	8.594	0.05	Δ9-THC Acid (THCA)	ND	ND	0.05
Cannabichromene (CBC)	ND	ND	0.05	THC-varian (THCV)	ND	ND	0.05
Cannabigerol (CBG)	ND	ND	0.05	***Δ9-THC	<0.05	<0.5	0.05
Cannabidiol (CBD)	ND	ND	0.05	**TOTAL CANNABINOIDS	0.8594	8.594	
Cannabigerolic Acid (CBGA)	ND	ND	0.05	*TOTAL THC	<0.05	<0.5	
Cannabidivarin (CBDV)	ND	ND	0.05	*TOTAL CBD	ND	ND	

*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA% (0.877) + Δ9-THC %. **Total Cannabinoids is the absolute sum of all cannabinoids detected. ND = Not Detected

RESULT CERTIFICATION

 12012020
 Frank P. Mauricio COO/Michael R. Horton CSO & Date


 Michael Horton Frank Mauro



Scan QR Code to verify COA at www.delta9analytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. ***The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.